Security

myLOCK ALL IN ONE Integrated entrance **ROLLER LATCH,** privacy and dead lock functionality.

Upgrade & Improve Your Entrance Security Without Changing Your Door.

The new stainless steel body is designed to retro fit into older style 85mm entrance mortice locks.
Upgrade the security in your home without the need to change your door.

304 Stainless Steel
anything else is a compromise

With front adjustable roller tension.

19217 **PVD Brass**
29217 **ATQ Copper**
39217 **Pol. SS**
49217 **Satin SS**
59217 **Black**
69217 **Copper (Face/Striker)**

304 Stainless Steel
The casing, privacy & dead bolts, roller latch , spindle follower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability.

Keyless Locking
Using the snib when home will prevent anyone opening the door and walking in. It's a quick and simple locking function for every day use and works independently of the dead bolt.

The Indicator Snib
The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked position.

High Security Dead Bolt
Engage the dead bolt for the ultimate level of security when you're out of the house or away on holiday. A solid brass bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece of mind.

Adjustable SS Heavy Duty Roller Latch
After installation from the front of the roller latch; easily a**djust the spring tension** and projection of the roller to suit your desired opening tension.

2 Hour Fire Rated Cylinders

Independent CAM Cylinder & Integrated keylock
The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in au*STLYE*.

How to order: 4 SIMPLE STEP

The 4 Step process helps you combine the Roller Lock with the appropriate au*STYLE* product to create a modern, clean entrance design.

1. myLOCK Roller Lock x9217

Rebate Adaptor Kit
[if required]
9220 **PVD Brass**
29220 **ATQ**
39220 **CP**
49220 **SC**
59220 **Black**

2. Choose your Entrance Feature Handle

PAGE 15

or download Entrance Handle Catalogue from www.austyle.com.au

3. Choose your Snib Escutcheon Design

PAGE 39

4. Choose your Cylinder

PAGE 36

myLocks require a double cylinder only

Upgrade & Improve Your Entrance Security Without Changing Your Door.

The new stainless steel body is designed to retro fit into older style 85mm entrance mortice locks.
Upgrade the security in your home without the need to change your door.

Fire Tested 2 Hours

304 Stainless Steel
anything else is a compromise

AUTO EXIT ESCAPE FUNCTION
Quick release privacy escape function.
Exit without the need for keys!

19219 **PVD Brass**
29219 **ATQ Copper**
39219 **Pol. SS**
49219 **Satin SS**
59219 **Black**

304 Stainless Steel
The casing, privacy & dead bolts, latch , spindle follower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability.

Keyless Locking
Using the snib when home will prevent anyone opening the door and walking in. It's a quick and simple locking function for every day use and works independently of the dead bolt.

The Indicator Snib
The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked position.

Quick Release Escape Function
Using the lever handle to open the door **automatically disengages** the privacy bolt for a quick keyless exit.

High Security Dead Bolt
Engage the dead bolt for the ultimate level of security when you're out of the house or away on holiday. A solid brass bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece of mind.

2 Hour Fire Rated Lock
2 Hour Fire Rated Cylinders

Independent CAM Cylinder & Integrated keylock
The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in au*STLYE*.

How to order: 3 SIMPLE STEPS

The 3 Step process helps you combine the Latching lock with au*STYLE* products to create a modern, clean entrance design.

1. *my*LOCK Lever Lock x9219

Rebate Adaptor Kit
[if required]
9220 **PVD Brass**
29220 **ATQ**
39220 **CP**
49220 **SC**
59220 **Black**

2. Choose your Entrance Lever Handle Set



PAGE 6 >13

3. Choose your Cylinder

myLocks require a double cylinder only

PAGE 36

Security Locks
Hinged Doors

- Designed and Engineered in Australia
- Heavy duty case and internal mechanical components.
- Non combustible components

EXTERNAL / ENTRY DOORS

Entrance Snib Set
304 Stainless Steel Plates
120x40mm
#43735
suits all 47.6mm C-to-C locks

External Escutch.

Create a clean minimal entrance using the new snibs & escutcheon sets to operate high security locks for front/ external doors.

The snib operates the lock in the same way a conventional lever handle functions opening the door with the snib turn from inside.

Externally, use an entrance handle and the the latch retracts simultaneously when turning the key to unlock for quick, single handed entry.

Recommended lock 49300 or 49001 & cylinder 49144 sold separately.

Quick Release Emergency Escape Function

residential security locks (47.6mm centres)

- Simultaneously retracts latch when unlocking the door for a quick exit
- Hardened steel rolling pins in bolt resist hacksawing - 24mm throw!
- Reversible latch for either LH / RH opening doors

45mm Back Set	
9000	PB
29000	ATQ
39000	CP
49000	SC
59000	Black

60mm Back Set	
9001	PB
29001	ATQ
39001	CP
49001	SC
59001	Black

Rebate Adaptor Kit	
9004	PB
29004	ATQ
39004	CP
49004	SC
59004	Black

Fire Tested 2 Hours (excludes rebated lock)

7 Year Mechanical Warranty
DURABLE SECURITY



[Cylinder sold separately -P.36]

commercial Dead Latching Locks (47.6mm centres)

304 Stainless Steel
anything else is a compromise

- Simultaineously retracts latch (and bolt) when unlocking the door for a quick exit
  austyle 49300 locks have an emergency release function retracting the bolt for a quick emergency escape at any exit point. The presence of a bolt may be an issue on some fire rated doors. Please check the relevant building code to ensure compliance.
- Reversible latch for either LH / RH opening doors
- Stainless steel latch/case/springs/internal components/face & striker plates

60mm Back Set	
49300	SSS [excludes cylinder]

Quick Release Emergency Escape Function

Fire Tested 4 Hours



[Separate Rebate Adaptor Kit to Suit #49004]

60mm Back Set	
49301	SSS [excludes cylinder]

Quick Release Emergency Escape Function

4 Hour Fire Rating AS1530.4-2005

[suitable for commerical fire door compliance]
[compatible for use with most electric strikers]
[Separate Rebate Adaptor Kit to Suit #49004]

Dead Latching Function

Why are austyle 304 Stainless Steel security locks better ?

Simply put, stainless steel offers significantly better durability and strength when compared with commonly available zinc or steel structured locks. Stainless steel contains higher levels of nickle providing superior corrosive resistance. Our locks are ideal for heavy duty, commercial applications and whenever superior quality and reliability is a significant consideration.

7 Year Mechanical Warranty
DURABLE SECURITY

austyle architectural hardware

residential security locks (85mm centres)

- simultaneously retracts latch when unlocking the door for a quick exit
- Reversible latch for either LH / RH opening doors

45mm Back Set	
9208	**PB**
39208	**CP**
49208	**SC**

60mm Back Set	
9209	**PB**
39209	**CP**
49209	**SC**
59209	**Black**

Separate Rebate Kit only (without lock)	
9210	**PB**
39210	**CP**
49210	**SC**
59210	**Black**

commercial narrow backset (85mm centres)

25mm Back Set	
49200	**SSS**

Rebate Adaptor Kit to Suit #49210

30mm Back Set	
49201	**SSS**

Rebate Adaptor Kit to Suit #49210

304 Stainless Steel
face/striker/bolts/latch/follower

Fire Tested 4 Hours

children safety/screen door latch

- Narrow 30mm back set / 42mm overall depth.
- Self latching snib latch for aluminium / timber doors
- Stainless steel latch / Satin Chrome (brass material) snibs

Fire Tested 4 Hours

30mm Back Set	
49205	**SSS**

disabled & child safety latch
[install at 1800mm from floor to prevent children opening doors]

Use the #9809 conversion adaptor spindle to adapt the 49205 latch for use with any austyle lever handle sets.

Extended Striker Plates

Suits all 85mm locks

- *49840*
  85 mm (60mm extention lip)
- *49841*
  125 mm (100mm extention lip)
- *49842 (suits Roller Locks 49217)*
  125 mm (100mm extention lip)

Generic Extention Striker

- *49839*
  100x25 mm
  304 Stainless Steel

Roller Latch Security

roller latch and dead bolt

- Adjustable roller spring tension
- Supplied with both LH and RH striker plates
- Used in conjunction with entry handles, cylinders and escutcheons

57mm Back Set	
9015	**PB**
29015	**ATQ**
39015	**CP**
49015	**SC**
59015	**Black**
69015	**Copper**

45mm Back Set	
49206	**SC**

60mm Back Set	
49207	**SC**

Separate Rebate Kit only (without lock)	
49210	**SC**

commercial narrow backset

- Adjustable spring tension
- Heavy duty aluminium or timber door commercial applications
- Supplied with both LH and RH striker plates

30mm Back Set	
49204	**SSS**

304 Stainless Steel
anything else is a compromise

self latching snib latch [SLIDING doors]

- Ideal for all ALUMINIUM or timber self closing/latching sliding doors
- Residental or commercial applications

30mm Back Set		
19027	**PB**	Latch S/Steel Snibs SC (brass)
39027	**PSS**	
49027	**SSS**	
59027	**Black**	

304 Stainless Steel
anything else is a compromise

disabled & child safety latch
[install at 1800mm from floor to prevent children opening doors]

Includes 2 snibs (40mm diam.)

self latching snib latch [HINGED doors]

- Ideal for all self closing/latching hinged doors
- Residental or commercial applications

60mm Back Set	
19018	**PB**
39018	**PSS**
49018	**SSS**
59018	**Black**

disabled & child safety latch
[install at 1800mm from floor to prevent children opening doors]

Includes 2 snibs (40mm diam.)

dead bolt heavy duty

- Heavy duty steel backing plate for additional strength and security
- Euro Cylinder Lock 60mm Back set - (49143 cylinder / 43702 escutcheon sold separately)
- Suitable for either LH or RH opening doors

60mm Back Set	
9012	PB
29012	ATQ
39012	CP
49012	SC
59012	Black

Fire Tested 2 Hours



Cavity Sliding Doors Security

- Designed and Engineered in Australia
- Heavy duty case and internal mechanical components.
- Non combustible components
- Heavy duty steel backing plate for additional strength and security
- 2 x Locating Pins guide the door into correct position when closing
- 45mm back set - (Cylinder/escutcheon sold separately)



pictured

Euro Cylinder Lock 45mm Back Set	
9086	PB
29086	ATQ
39086	CP
49086	SC
59086	Black

5 Lever Lock 45 mm Back Set	
9084	PB
29084	ATQ
39084	CP
49084	SC
59084	Black

NEW ELONGATED STRIKER PLATE HOLES to allow for movement in the door



Recessed Cavity Sliding Door ?

Using these flush pulls on a cavity sliding door will allow the door to recess back into a cavity without compromising on security. [check door thickness for appropriate cylinder]

edge pull

use the edge pull to retrieve the door from its cavity.

44455 SC
75x55mm

Heavy Duty Pull Handle

4456 PB
34456 CP
44456 SC
115mm

flush pull

43754E SS
53754E Blk
220x55mm

cylinder 40mm

49140 SC
59140 Blk
3pin/42mm

Security Cylinders

keyed cylinder barrels

- C4 euro profile
- Available keyed alike - free of charge (ex stock SC only)
- Approved for master keying
- S/Steel internal springs for durability and reliability

Fire Tested 2 Hours



ALL CYLINDERS HAVE INDEPENDENT CAM so you can use a key simultaneously on both sides!

Recommended for use with *myLOCK*

39mm Single 5Pin

9142	PB
29142	ATQ
39142	CP
49142	SC
59142	Black

42mm Double 3Pin

49140	SC
59140	Black

Ideal for recessed cavity sliding doors that require high secutiy locking. Refer bottom p.35

60mm Double 5Pin

9143	PB
19143	PVD
29143	ATQ
39143	CP
49143	SC
59143	Black

65mm Double 5Pin

9144	PB
19144	PVD
29144	ATQ
39144	CP
49144	SC
59144	Black

70mm Double 6Pin

9147	PB
39147	CP
49147	SC
59147	Black

80mm Double 6Pin

9148	PB
39148	CP
49148	SC
59148	Black



100mm Double 6Pin

9150	PB
39150	CP
49150	SC
59150	Black



turn snib & key cylinder barrels

39mm Turn snib

9141	PB
39141	CP
49141	SC
59141	Black



65mm Turn snib 5Pin

9145	PB
29145	ATQ
39145	CP
49145	SC
59145	Black

70mm Turn snib 6Pin

49149	SC
59149	Black

65mm Snib & Release

9146PB / 39146CP

49146SC / 59146Black



Emergency Release Slot

Escutcheons Covers

Choose the appropriate cover plate design that matches your handle style.

SEE PAGE 38

Key Blanks

9845-KEY5
5 pin cylinder key

9846-KEY6
6 pin cylinder key

Security - Passage Latches

10 Years Mechanical Warranty

austyle architectural hardware

passage latches - heavy duty

60mm Back Set - Single Spring	
9031	**PB**
29031	**ATQ**
39031	**CP**
49031	**SC**
59031	**Black**
69031	**Copper** (Face/Striker)

60mm Back Set - Double Spring	
9030	**PB**
29030	**ATQ**
39030	**CP**
49030	**SC**
59030	**Black**

45mm Back Set - Single Spring	
9028	**PB**
29028	**ATQ**
39028	**CP**
49028	**SC**
59028	**Black**

passage latch - general purpose

60mm Back Set - Light Duty - Single Spring (Split Follower)	
9017	**PB**
39017	**CP**
49017	**SC**

project series

passage latch - S/Steel heavy duty

60mm Back Set - Single Spring (Split Follower)	
19019	**PVD**
39019	**PSS**
49019	**SSS**

304 Stainless Steel
anything else is a compromise

separate rebate adaptor kit

suits all austyle latches and privacy bolts	
9025	**PB**
29025	**ATQ**
39025	**CP**
49025	**SC**
59025	**Black**

Suits all *auSTYLE* latches and privacy bolts

magnetic latch

50mm Back Set - (60mm depth)	
49024	**SSS**

For a clean door edge.
The magnet ejects & retracts automatically with the operation of the handle. Includes box striker for a neat professional finish.

roller catch / latch - heavy duty

Adjustable Roller Tension	
39026	**CP**
49026	**SC**
59026	**Black** (Face/Striker)



ball catch



Adjustable Tension	
3731	**PB**
33731	**CP**
43731	**SC**
53731	**Black**

Escutcheon / Cylinder Covers

cylinder barrels sold separately p.25

40x40 mm Square SOLID BRASS	
53726 Black	33726 CP
43726 SC	73726 Atq Bronze
8 mm projection	

70x30mm Rectangular	
13724	PVD
33724	PSS
43724	SSS
53724	Black
10 mm projection	

70x30mm Oval	
13725	PVD
33725	PSS
43725	SSS
53725	Black
10 mm projection	

304 Stainless Steel
anything else is a compromise

52mm Square edged			
3702	PB	13702	PVD Brass
23702	ATQ	33702	CP
43702	SC	53702	Black
63702	Copper		
8 mm projection			

52 mm Rounded edge	
13703	PVD
33703	CP
43703	SC
53703	Black
8 mm projection	

Blank Concealing-52mm	
33709	CP
43709	SC
53709	Black
8 mm projection	

40mm Square edged	
13700	PVD
33700	CP
43700	SC
53700	Black
8 mm projection	

45mm Square edged	
13701	PVD
33701	CP
43701	SC
53701	Black
8 mm projection	

52mm Square edged	
43704	SSS
53704	Black
8 mm projection	

304 Stainless Steel
anything else is a compromise

52mm Square edged	
13707	PVD
33707	CP
43707	SC
53707	Black
8 mm projection	

52 mm Rounded edge	
13708	PVD
33708	CP
43708	SC
53708	Black
8 mm projection	

40mm Square edged	
13705	PVD
33705	CP
43705	SC
53705	Black
8 mm projection	

45mm Square edged	
13706	PVD
33706	CP
43706	SC
53706	Black
8 mm projection	

Integrated Snib Plate Locking Options for external Doors

For use with general high security entrance locks [ref p.30]

Quick Release Emergency Escape Function [49300 Lock]

Create a clean minimal entrance using the new snib & escutcheon sets to operate high security locks for front/external doors.

The snib operates the lock in the same way a conventional lever handle functions opening the door with the snib turn from inside.

Externally, use an entrance handle and the the latch retracts simultaneously when turning the key to unlock for quick, single handed entry.

Suits all 47.6mm C-to-C Locks

Recommended lock 49300 or 49001 & cylinder 49144 sold separately.



For use with myLOCK integrated roller, privacy and dead bolt high security entrance lock [ref p.28]

When used in conjunction with a feature entrance handle, the MyLOCK roller latch enables push/pull "passage" function.

Adjustable spring tension in the roller latch to suit your desired opening tension

Use the snib function for quick, day-to-day keyless locking.

Use the double cylinder dead bolt function for operating the dead bolt.

Using the key will simultaneously disengage both the privacy and dead bolts from either side of the door for single handed entry/exit.

Snib & Escutcheon Set Options:

304 Stainless Steel Plates -120x40mm / includes external escutcheon plate / cylinders sold separately [ref p.34]

Suits: Entrance Locks / 47.6mm C-to-C [ref. P.30]	13735/PVD	23735/ATQ	33735/PSS	53735/Black	63735/Copper	43735/Satin SS
Suits: myLOCK 37mm C-toC [ref. P.28]	13736/PVD	23736/ATQ	33736/PSS	53736/Black	63736/Copper	43736/Satin SS

43737 -52mm Diam.

mylock: 100x40mm

43734-SC / 23734-ATQ / 53734-Black

Bathroom Locking Options

cavity sliding doors - fully recessed doors
integrated privacy flush pull

Fully Recessed Cavity Sliding Door?

Ideally used in situations where the cavity door recesses all the way back inside the door frame.

These flush pulls are recessed into the door face allowing the door to fully recess into its cavity.

Matching flush pulls for lockable and passage doors available on page 41 for asthetic consistency.

Flush Pull: 220x55mm (proj. 1.5mm) Latch: 55mm backset / 80mm overall	
43754P	SSS
53754P	Black

includes sliding door latch

New 304 SS Latch Mechanism

304 Stainless Steel
anything else is a compromise

cavity sliding door - fully recessed doors

sliding door recessed flush turn snibs

concealed fixing 40mm diam.	
9040	PB
39040	CP
49040	SC
59040	Black

used in conjunction with sliding door latch below

sliding door latch

50 mm overall (31 mm to spindle centre)	
19033	PVD
29033	ATQ
39033	CP
49033	SC
59033	Black

can also be used in conjunction with snibs p.30.



With locating pin which guides the door into its correct position when closing.

cavity sliding door - partially recessed doors

- Ideal for all ALUMINIUM or timber self closing/latching sliding doors
- Residental or commercial applications

30mm Back Set		
19027	PB	Latch S/Steel Snibs SC (brass)
39027	PSS	
49027	SSS	
59027	Black	

Includes 2 snibs (40mm diam.)

cavity sliding door - fully recessed doors

Lock	
9050	PB
29050	ATQ
39050	CP
49050	SC

Latch	
9049	PB
29049	ATQ
39049	CP
49049	SC

hinged bathroom / privacy doors

60mm Backset	
9032	**PB**
29032	**ATQ**
39032	**CP**
49032	**SC**
59032	**Black**
69032	**Copper (face/Striker)**

10 Years Mechanical Warranty

used in conjunction with any snibs below

snib & release euro cylinder

65mm Snib & Release
9146**PB** / 39146**CP** / 49146**SC** / 59146**Black**

used in conjunction with locks page p21-24

Emergency Release Slot



commercial bathroom indicator bolt

Indicator Snib & Release
9014**PB** / 39014**CP** / 49014**SC**



Snib Styles

ideal for hinged or sliding doors / concealed & thru fix options / Ideal for SLIDING doors that sit slightly



40x40mm
39046 CP
49046 SC
59046 Black



9037 PB
39037 CP
49037 SC
59037 Black

9038/PB
35mm

39038/CP
35mm

49038/SC
35mm

52x52mm
43531CL SC

52x52mm
53531CL Black

59038/Black
35mm

52x52mm
43530CL SC

52x52mm
53530CL SBlack



69038/Copper
35mm

29038/ATQ
35mm

Recessed / Flush Design	Rectangle Design	Round Design
9040 PB / 39040 CP / 49040 SC / 59040 Black	29034 ATQ / 39034 CP / 49034 SC / 59034 Black	9035 PB / 29035 ATQ / 39035 CP / 49035 SC / 59035 Black

accessories - double snibs

Round Snib Set 35mm diam	Square Snib set 40x40mm	Adaptor Spindle
9044 PB / 39044 CP / 49044 SC / 59044 Black	49045 SC / 59045 Black	9809 - Privacy/Lever handle adaptor spindle

Use the conversion adaptor spindle to adapt any snibs for use with locks, latches or lever handle sets.

NEW

Privacy spindle (4.75) -----> Lever handle spindle (7.75mm)